

the incidental open access fishery (17.82 mt), resulting in a fishery HG of 1,349.6 mt for the area north of 34°27' N. lat.

cc/ Shortspine thornyhead south of 34°27' N. lat. 6.71 mt is deducted from the ACL to accommodate research catch (0.71 mt) and the incidental open access fishery (6 mt), resulting in a fishery HG of 749.3 mt for the area south of 34°27' N. lat.

dd/ Spiny dogfish. 344 mt is deducted from the ACL to accommodate the Tribal fishery (275 mt), EFP catch (1.1 mt), research (34.27 mt), and the incidental open access fishery (33.63 mt), resulting in a fishery HG of 1,277 mt.

ee/ Splitnose rockfish south of 40°10' N lat. 18.42 mt is deducted from the ACL to accommodate EFP catch (1.5 mt), research (11.17 mt), and the incidental open access fishery (5.75 mt), resulting in a fishery HG of 1,647.6 mt.

ff/ Starry flounder. 48.38 mt is deducted from the ACL to accommodate the Tribal fishery (2 mt), EFP catch (0.1 mt), research (0.57 mt), and the incidental open access fishery (45.71 mt), resulting in a fishery HG of 343.6 mt.

gg/ Widow rockfish. 248.32 mt is deducted from the ACL to accommodate the Tribal fishery (200 mt), EFP catch (28 mt), research (17.27 mt), and the incidental open access fishery (3.05 mt), resulting in a fishery HG of 14,476.7 mt.

hh/ Yellowtail rockfish north of 40°10' N lat. 1,047.55 mt is deducted from the ACL to accommodate the Tribal fishery (1,000 mt), EFP catch (10 mt), research (20.55 mt), and the incidental open access fishery (7 mt), resulting in a fishery HG of 5,012.5 mt.

ii/ Black rockfish/Blue rockfish/Deacon rockfish (Oregon). 2.32 mt is deducted from the ACL to accommodate the EFP catch (0.5 mt), research (0.08 mt), and the incidental open access fishery (1.74 mt), resulting in a fishery HG of 600.7 mt.

jj/ Cabezon/kelp greenling (Oregon). 0.21 mt is deducted from the ACL to accommodate EFP catch (0.1 mt), research (0.05 mt), and the incidental open access fishery (0.06 mt), resulting in a fishery HG of 197.8 mt.